SHORT TERM TENDER NOTICE

On behalf of the President of India the Superintending Archaeologist, Archaeological survey of India, Sarnath Circle, Sarnath invites tender from approved & two years experienced contractors registered with the CPWD, Railways, P & T Department, M. E.S., Local PWD, Irrigation Department etc., single-handedly supply all the items as per specification, up to 2.00 P.M of 08.10.2014, which will be opened on the same day at 3.30 PM, in the office of the Superintending Archaeologist, Archaeological Survey of India, Sarnath Circle, Sarnath. Details of supply of materials/execution of work are given in the tender form.

Name of Work	SR (P) to construction of boundary wall at ancient mound at Ashmanpur, Distt. Kushinagar
Cost of Material	Rs. 2125798.00
Earnest Money	Rs. 53145.00

- 1. The execution of work will be at concerned Archaeological site.
- 2. The tenders not accompanied with earnest money of the work in the form of Demand Draft in favour of the Superintending Archaeologist, Archaeological Survey of India, Sarnath Circle, Sarnath will be summarily rejected.
- 3. The tender form for the work can be received from the office of the Superintending Archaeologist, Archaeological Survey of India, Sarnath Circle, Sarnath on all working days upto **4.00 PM from 25.09.2014 to 01.10.2014** against cash payment of Rs.500/- each (non refundable)
- 4. The cost of tender form (if downloaded from website) in the form of Demand Draft in favour of S.A., A.S.I., Sarnath Circle, Sarnath should be enclosed alongwith the tender form which should reach to this office within the stipulated period.
- 5. The contractors have to produce the Registration Certificate, PAN No., experience certificate of at latest 2 years of contractors, Sale Tax Clearance Certificate, TIN Certificate & Character Certificate for obtaining the tender paper.
- 6. The concern contractor will submit the attested photo state copy by any Gazzetted Officer of all relevant paper during the filling of every tender form.
- 7. The contractor have to fill up full particular of tender form.
- 8. Total Cost of the work will form the basis of approval.
- 9. Rates should be quoted inclusive of all taxes.
- 10. At the time of award of work the concerned bidders have to deposit the Security Deposit as applicable.
- 11. Credentials and eligibility of financial/technical criteria as per CVC Guideline attached in Annexure-A
- 12. All case pertaining to the tender will be subject to Sarnath, Varanasi jurisdiction only.
- 13. The Superintending Archaeologist, Archaeological survey of India, Sarnath Circle, Sarnath reserves the right to reject any/all tender without assigning any reason.

Superintending Archaeologist

Annexure-A
Reference:- Clause 2 of Notice Inviting Tender

Essential Technical & Financial Qualifying Criteria:-

FOR WORKS CONTRACTS

- 1. The Agency / Firms /Contractor must have earlier experience in execution of similar nature of works.
- 2. Tender invited should be as per Central Vigilance Commission's guidelines as detailed below.
 - i) Average annual financial turn over during the last three years, ending 31st March of previous financial year should be at least 30 % of the estimated cost.
 - ii) Experience of having successfully completed similar works during last 7 years ending last days of month previous to the one in which the applications are invited should be either of the following:-
 - a) Three similar completed works costing not less than the amount equal to 40 % of the estimated amount.

0

b) Two similar completed work costing not less than the amount equal to 50 % of the estimated cost.

01

c) One similar completed work costing not less than the amount equal to 80% of the estimated cost.

FOR STORE/PURCHASE CONTRACTS

Prequalification / Post Qualification shall be based entirely upon the capability and resources of prospective bidders to perform the particular contract satisfactorily, taking into account their (i) experience and post performance on similar contracts for last two years (ii) capabilities with respect to personnel, equipment and manufacturing facilities (iii) financial standing through latest I.T.C.C, Annual report (balance sheet and profit & loss account) of last three years. The quantity, delivery and value requirement shall be kept in view, while fixing the prequalification criteria.

Superintending Archaeologist

SR (P) to construction of boundary wall at ancient mound at Ashmanpur, Distt. Kushinagar

	ानावदा	का मूल्य		जाब काय	क ।लए ।न	।वदा	व	_{7.} ला.ान	व.–9	(ानावदा)		
		Price of tender: Rs.500/		TENDER			C.P	.W.D.	- 9 (7	Tender)		
		की शर्तों के अनुसार भारत व	के राष्ट्रपति के वि	लेए निम्नलिखित ज्ञाप	ान में वर्णित स	ामग्रियों की आपृ	र्ति के लिए नि	र्दिष्ट र	नमय 3	भौर विनिर्दिष	र के र	अनुसार उसमे
		ं देता हूं / देते हैं।										
		the supply for the President									ithin t	he
times spe	ecified and at t	he rates specified therein su	-									
ज्ञापन / N	Memo - (i)	अग्रिम राशि रू										
	(ii)	प्रतिभूति निक्षेप										
	(ক)	निविदा मंजूर होने पर तत्व	नाल देय (अग्रिम	राषि सहित यदि निर्व	वेदा के साथ न	नकद जमा की ग	ाई हो)			रूपये		
	(a)	Payable immediately on the										
	(ख)	* बिल में से काटी जाने व	वाली प्रतिशतता			रूपये						
	(b)	Percentage to be deducted			Rs.							
Sl. No.	Description of	वाली सामग्री का वर्णन या विनिर्देष or specification of materials to be supplied	आपूर्ति के लिए प्रत्येक की कुल मात्राएं	स्थान जहां कार्य होनी है Places at which work to be	प्रत्येक स्थान पर आपूर्ति की जाने वाली सामग्री/कार्य	दिनांक जब तक सभी स्थानों पर आपूर्ति / कार्य समाप्त होनी चाहिए	प्रत्येक मांग व मिलाकर वे दरे रि वस्तुओं की आप होनी है	जनपर	इकाई Unit	प्रत्येक मांग मिलाकर प्रत्य वस्तु की कुल	येक लागत	टिप्पणियां Remarks
			Total quantities of	executed	सामग्रा/काय की मात्रााएं	Dates by	Rates at whi	ich		Total cost each	OI	
			each to be		Quantities/	which	articles are to			article/wo	ork	
			supplied		work to be	delivery/work	supplied/wor			Inclusive	-	
					delivered at	at all places	be execute			every dem	and	
					each place	must be completed	inclusive of e	very				
						completed	Rs.	P.		Rs.	P.	
SR (P) to constr	uction of boundary wa	all at ancient	Ancient mound		Three	Please see			Please		
mou	nd at Ashma	inpur, Distt. Kushinagai	r	at Ashmanpur,		months from	the			see the		
Estimated cost. Rs. 2125798.00			Dist.		the date of	Abstract.			Abstract.			
Earn	iest Money F	Rs. 53145.00		Kushinagar		issue of						
						work order						
			.1									
Detai	il of work to	be carried out is enclosed	as Abstract.									
Detai	II OI WOIK to	be carried out is enclosed	as Abstract.									

^{*} यह प्रतिशतता, जहां प्रतिभूति निक्षेप नहीं लिया गया है वहां मामले को आवष्यकता के अनुसार 5% से 10% तक बदलेगी। जहां प्रतिभूति निक्षेप लिया गया है उसके लिए ठेके की शर्तों के खण्ड 1 का नोट देखिए।

* This percentage, where no security deposit is taken will vary from 5 percent to 10 percent according to the requirement of the case. Where security deposit is taken, see note to clause 1 of conditions of contract.

हस्ताक्षर Signature पता / Address

निविदादाता के हस्ताक्षर के लिए साक्षी के हस्ताक्षर Signature of witness to signature of tenderer

पता / Address

दिनांक

Dated the 1

उपर्युक्त निविदा भारत के राष्ट्रपति की ओर से मेरे द्वारा एतद्द्वारा स्वीकार की जाती है। The above tender is hereby accepted by me on behalf of the President of India.

दिनांक

Dated the 19

उस अधिकारी के हस्ताक्षर जिसके द्वारा निविदा स्वीकार की गई है। Signature of the officer by whom the tender is accepted

ABSTRACT OF COST ORIGINAL ESTIMATE

(C.P.W.D. Code para 330-332)

State: U.P.
Branch: A.S.I.
Division: Sarnath

Name of work: SR (P) to construction of boundary wall around the ancient mound at Ashmanpur, Dist. Kushinagar.

ovision for dismantling, barbed wire and uprooting embedded M.S. Angel on with C.C. Post and stackning than properly arth work in excavation by manual in foundation trenches including dressing		Job.		
,	216.82			
sides and ramming of bottom and disposal of surplus excavated soil within a and of 50 mtr.		Cum.		
oviding & laying cement concrete 1:3:6 (1 cement: 3 Coarse sand : 6 stone ips 20 to 25 mm) for foundation including the cost of materials and labour complete.		Cum.		
oviding & laying in position of cement concrete 1:1.5:3 (1 cement:1.5 coarse nd:3 stone chips 10 to 20 mm) in pillars for embeding of angle iron posts cluding the cost of materials & labour cost etc. complete.		Cum.		
oviding of Ist class brick masonary in foundation and plinth in 1:6 cement ortar (1 cement: 6 coarse sand) including cost of material and labour cost etc mplete.		Cum.		
ovision for 12 mm thick cement plaster of mix 1:5 (1 cement: 5 sand) on wall cluding materials and labour cost etc. complete.	1094.45	Sqm.		
oviding snowcem painting one or two coat with one coat of primer including material and labour cost etc. complete	1094.45	Sqm.		
mount in words			Total	
	ides and ramming of bottom and disposal of surplus excavated soil within a lof 50 mtr. viding & laying cement concrete 1:3:6 (1 cement: 3 Coarse sand : 6 stone as 20 to 25 mm) for foundation including the cost of materials and labour complete. viding & laying in position of cement concrete 1:1.5:3 (1 cement:1.5 coarse d:3 stone chips 10 to 20 mm) in pillars for embeding of angle iron posts uding the cost of materials & labour cost etc. complete. viding of Ist class brick masonary in foundation and plinth in 1:6 cement tar (1 cement: 6 coarse sand) including cost of material and labour cost etc uplete. vision for 12 mm thick cement plaster of mix 1:5 (1 cement: 5 sand) on wall uding materials and labour cost etc. complete. viding snowcem painting one or two coat with one coat of primer including	ides and ramming of bottom and disposal of surplus excavated soil within a lof 50 mtr. viding & laying cement concrete 1:3:6 (1 cement: 3 Coarse sand: 6 stone os 20 to 25 mm) for foundation including the cost of materials and labour complete. viding & laying in position of cement concrete 1:1.5:3 (1 cement:1.5 coarse of d:3 stone chips 10 to 20 mm) in pillars for embeding of angle iron posts uding the cost of materials & labour cost etc. complete. viding of Ist class brick masonary in foundation and plinth in 1:6 cement of tar (1 cement: 6 coarse sand) including cost of material and labour cost etc. replete. vision for 12 mm thick cement plaster of mix 1:5 (1 cement: 5 sand) on wall of primer including of sand labour cost etc. complete. viding snowcem painting one or two coat with one coat of primer including material and labour cost etc. complete	ides and ramming of bottom and disposal of surplus excavated soil within a lof 50 mtr. viding & laying cement concrete 1:3:6 (1 cement: 3 Coarse sand : 6 stone so 20 to 25 mm) for foundation including the cost of materials and labour complete. viding & laying in position of cement concrete 1:1.5:3 (1 cement:1.5 coarse d:3 stone chips 10 to 20 mm) in pillars for embeding of angle iron posts uding the cost of materials & labour cost etc. complete. viding of Ist class brick masonary in foundation and plinth in 1:6 cement tar (1 cement: 6 coarse sand) including cost of material and labour cost etc. replete. vision for 12 mm thick cement plaster of mix 1:5 (1 cement: 5 sand) on wall uding materials and labour cost etc. complete. viding snowcem painting one or two coat with one coat of primer including material and labour cost etc. complete	ides and ramming of bottom and disposal of surplus excavated soil within a lof 50 mtr. viding & laying cement concrete 1:3:6 (1 cement: 3 Coarse sand : 6 stone as 20 to 25 mm) for foundation including the cost of materials and labour complete. viding & laying in position of cement concrete 1:1.5:3 (1 cement:1.5 coarse displaying in position of cement concrete 1:1.5:3 (1 cement:1.5 coarse displaying in position of cement concrete 1:1.5:3 (1 cement:1.5 coarse displaying in position of cement concrete 1:1.5:3 (1 cement:1.5 coarse displaying in position of cement concrete 1:1.5:3 (1 cement:1.5 coarse displaying in position of cement concrete 1:1.5:3 (1 cement:1.5 coarse displaying in position of cement concrete 1:1.5:3 (1 cement:1.5 coarse displaying in position of cement concrete 1:1.5:3 (1 cement:1.5 coarse displaying in position of angle iron posts unding the cost of materials & labour cost etc. complete. viding of Ist class brick masonary in foundation and plinth in 1:6 cement displaying in position of angle iron posts unding of Ist class brick masonary in foundation and plinth in 1:6 cement displaying in position of angle iron posts unding of Ist class brick masonary in foundation and plinth in 1:6 cement displaying in position of angle iron posts unding the cost of material and labour cost etc. complete displaying in position of angle iron posts unding the cost of materials and labour cost etc. Viding show the position of cement concrete 1:1.5:3 (1 cement:1.5 coarse displaying in position of angle iron posts unding the cost of materials and labour cost etc. Viding show the position of cement concrete 1:1.5:3 (1 cement:1.5 coarse displaying in position of angle iron posts unding the cost of materials and labour cost etc. Viding show the position of cement concrete 1:1.5:3 (1 cement:1.5 coarse displaying in position of angle iron posts unding the cost of materials and labour cost etc. Viding show the position of cement concrete 1:1.5:3 (1 cement:1.5 coarse displaying in position of angle iron posts undin

Signature